


N 70
T11D41X2
ELECTRIC COOKTOP WITH INTEGRATED CONTROLS



COOKING PASSION SINCE 1877



The glass-ceramic radiant cooktop: makes cooking and cleaning especially easy.

- ✓ With touchControl the cooking zones can be activated and controlled with the light touch of a single finger.
- ✓ Space for large pots and pans thanks to the 210 mm two-ring cooking zone.
- ✓ The child safety lock safely prevents unintentional switch-on.
- ✓ The timer with switch-off function safely shuts off the cooking zone when the selected cooking time expires.

Features

Technical Data

Product name/family : Cooking zone ceramic
Construction type : Built-in
Energy input : Electric
Total number of positions that can be used at the same time : 4
Required niche size for installation (HxWxD) : 45 x 560-560 x 490-500
Width of the product (mm) : 592
Dimensions of the product (mm) : 45 x 592 x 522
Dimensions of the packed product (HxWxD) (mm) : 100 x 750 x 590
Net weight (kg) : 7.559
Gross weight (kg) : 8.0
Residual heat indicator : Separate
Location of control panel : Hob front
Basic surface material : Ceramic
Color of surface : Black
Approval certificates : Australia Standards, CE, VDE
EAN code : 4242004163497
Electrical connection rating (W) : 6600
Voltage (V) : 220-240
Frequency (Hz) : 50; 60

Optional accessories

Z9442X0 Set of 3 pots and 1 pan



N 70

T11D41X2

ELECTRIC COOKTOP WITH INTEGRATED CONTROLS

Features

Handling

- Central electronic touch control operation

Flexibility

- 4 zone ceramic cooktop
- 1 dual circuit zone
- Cooking zones
 - front left: Ø 145 mm, 1.2 KW
 - rear left: Ø 180 mm, 2 KW
 - rear right: Ø 145 mm, 1.2 KW
 - front right: Ø 120 mm, 210 mm, 0.75 KW, 2.2 KW

Comfort & Convenience

- Keep warm function for all cooking zones
- ReStart function
- Residual heat indicator: Digital 2-step
- Digital display
- Alarm clock for each zone with switch off function
- Wipe protection function
- Automatic safety switch-off
- Main switch with stop-function
- Child safety lock
- Energy consumption display

Design

- Frameless with front faceted glass

Technical Information

- 60 cm width
- Installation measurements: 560 mm x 490 mm
- Min. worktop thickness: 20 mm
- 6.6 kW total connected load

N 70
T11D41X2
ELECTRIC COOKTOP WITH INTEGRATED
CONTROLS

Dimensioned drawings

