

iQ700
SN678X02TE
60 cm dishwasher
Fully integrated



A+++



speedMatic dishwasher with varioSpeed Plus for washing in up to a third of the time and with high energy savings through A+++ thanks to Zeolite technology.

- ✓ 10 year warranty against rusting through of the inside tub of a Siemens dishwasher.
- ✓ Up to 66% faster dishwashing and drying to a gleaming shine with varioSpeed Plus.
- ✓ Highly efficient cleaning in A+++ , the highest energy efficiency class, thanks to innovative zeolith technology.
- ✓ Convenient loading and optimum flexibility with the varioFlex Pro basket and varioDrawer Pro.
- ✓ timeLight shows the remaining time and cycle status alternately, with easy visibility on any floor.
- ✓ emotionLight for full illumination of the entire dishwasher interior.

Features

Technical data

Cleaning performance : A
 Water consumption (l) : 9.5
 Total annual energy consumption (kWh) 220 days : 183
 Estimated annual consumption (220 standard cycles) water (l) : 2090
 Built-in / Free-standing : Built-in
 Removable top : No
 Door panel options : Not possible
 Height of removable worktop (mm) : 815
 Height of the product (mm) : 815
 Adjustable feet : Yes - front only
 Maximum adjustability feet (mm) : 60
 Net weight (kg) : 47.412
 Gross weight (kg) : 50.0
 Connection Rating (W) : 2400
 Current (A) : 10
 Voltage (V) : 220-240
 Frequency (Hz) : 50; 60
 Length electrical supply cord (cm) : 175
 Plug type : Gardy plug w/ earthing
 Length inlet hose (cm) : 165
 Length outlet hose (cm) : 190
 Hidden heating element : Yes
 Water protection system description : Triple water protection 24h : Mech. door lock
 Water softener : Yes
 Top basket type : high 642
 Adjustable upper basket : Rackmatic 3-stage
 Bottom basket type : high 642
 Cup Shelf : 2
 3rd Rack : 3rd Rack 2.1
 Silverware Basket : Standard
 Optional accessories : SZ72010, SZ73000, SZ73005, SZ73010, SZ73035, SZ73055, SZ73100, SZ73300, SZ73640
 Included accessories 2 : vapor barrier plate
 Number of place settings : 14
 Color / Material panel : Black
 Dimensions of the packed product (HxWxD) (mm) : 880 x 680 x 670
 Brand : Siemens
 Product name / Commercial code : SN678X02TE
 Number of place settings : 14
 Energy efficiency class (2010/30/EC) : A+++
 Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 237.00
 Energy consumption (kWh) : 0.83
 Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.50
 Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.50
 Water consumption annual (l/annum) - NEW (2010/30/EC) : 2660
 Drying performance : A
 Reference programme : Eco
 Total cycle time of reference programme (min) : 195
 Duration of the left-on mode - NEW (2012/30/EC) (min) : 0

iQ700
SN678X02TE
60 cm dishwasher
Fully integrated

Features

- 14 place settings
- Energy Efficiency Class: A+++
- Energy consumption in programme Eco 50: 237 kwh per year, based on 280 standard cleaning cycles.
- Energy consumption in programme Eco 50: 0.83 kwh
- Power consumption off-mode / left-on mode: 0.5 W / 0.5 W
- Water consumption in programme Eco 50: 2660 litres per year, based on 280 standard cleaning cycles.
- Water consumption in programme Eco 50: 9.5 litres
- A rated performance for washing and A for drying
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 195 minutes
- Noise level: 42 dB (re 1 pW)
- 40 dB
- Fully integrated
- Energy consumption when connected to hot water in programme Eco 50: 0.6 kwh
- 8 programmes: Auto 35-45 °C, Auto 45-65 °C, Auto 65-75 °C, Eco 50 °C, Night Program 50 °C, Glass 40 °C, Quick wash 45 °C, Pre-Rinse
- 5 Shine & Dry, Intensive Zone, VarioSpeedPlus, Half load, HygienePlus
- 6 temperatures
- SpeedMatic hydraulic system
- Zeolith Drying
- Dossage assist detergent dispenser
- Hydrosensor III, Load sensor
- Automatic detergent detection
- hydroDry - hygienic and efficient drying
- Alternating spray technique
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Stainless steel drum
- cool blue emotion Light
- Push button top controls
- TFT Display inside
- Acoustic end of cycle indicator
- Electronic time delay: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator
- 3rd Rack 2.1
- Silver XXL baskets
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- 2 foldable cup racks in bottom basket
- Glass rack in bottom basket
- Hydrosafe - 24hr anti flood device with guarantee
- Child safety - Childproof door lock
- Servo-lock for effortless door closing
- HydroMix glass care technology
- Front-adjustable rear foot

iQ700
SN678X02TE
60 cm dishwasher
Fully integrated

Dimensioned drawings

